


Southwest Washington Chapter of ICC

This construction detail is accepted as meeting the minimum standard of construction as based upon the 2003 IRC requirements and is accepted in the following regional jurisdictions

Clark County, Cowlitz County, Skamania County, City of Camas, City of Centralia, City of Kalama, City of Longview, City of Ridgefield, City of Vancouver, City of Washougal, City of Woodland



MINIMUM SIZE WINDOW FOR A 20 INCH CLEAR WIDTH

MINIMUM SIZE WINDOW FOR A 24 INCH CLEAR HEIGHT

44" MAX FROM FLOOR TO FINISH SILL OF WINDOWS IN BEDROOMS

UBC SEC. 310.4 EVERY SLEEPING ROOM BELOW THE FOURTH STORY SHALL HAVE AT LEAST ONE OPERABLE WINDOW OR DOOR APPROVED FOR EMERGENCY ESCAPE. EGRESS WINDOWS SHALL HAVE A MINIMUM NET CLEAR OPENING AREA OF 5.7 SQ.FT. THE MINIMUM HEIGHT SHALL BE 24 INCHES. THE MINIMUM WIDTH SHALL BE 20 INCHES. HEIGHT TIMES WIDTH SHALL NOT BE LESS THAN 5.7 SQ.FT.



FLOOR

#12 1/1/00